



6203/4971



INVESTOR IN PEOPLE

**PRIORITY DOCUMENT**  
SUBMITTED OR TRANSMITTED IN  
COMPLIANCE WITH  
RULE 17.1(a) OR (b)

The Patent Office

Concept House

Cardiff Road

Newport

South Wales

NP10 8QQ

RECEIVED

16 JAN 2004

PCT

I, the undersigned, being an officer duly authorised in accordance with Section 74(1) and (4) of the Deregulation & Contracting Out Act 1994, to sign and issue certificates on behalf of the Comptroller-General, hereby certify that annexed hereto is a true copy of the documents as originally filed in connection with the patent application identified therein.

In accordance with the Patents (Companies Re-registration) Rules 1982, if a company named in this certificate and any accompanying documents has re-registered under the Companies Act 1980 with the same name as that with which it was registered immediately before re-registration save for the substitution as, or inclusion as, the last part of the name of the words "public limited company" or their equivalents in Welsh, references to the name of the company in this certificate and any accompanying documents shall be treated as references to the name with which it is so re-registered.

In accordance with the rules, the words "public limited company" may be replaced by p.l.c., plc, P.L.C. or PLC.

Re-registration under the Companies Act does not constitute a new legal entity but merely subjects the company to certain additional company law rules.

Signed

Dated

22 December 2003

BEST AVAILABLE COPY



1/77


21NOV02 E765071-1 D02224  
P01/7700 0.00-0227119.5

The Patent Office

Cardiff Road  
Newport  
South Wales  
NP10 8QQ

# Request for grant of a patent

(See the notes on the back of this form. You can also get an explanatory leaflet from the Patent Office to help you fill in this form)



1. Your reference

WBH

2. Patent application number

(The Patent Office will fill in this part)

0227119.5

20 NOV 2002

3. Full name, address and postcode of the or of each applicant (underline all surnames)

MicroEmissive Displays Limited  
Scottish Microelectronics Centre,  
West Mains Road,  
Edinburgh  
EH9 3JF

Patents ADP number (if you know it)

If the applicant is a corporate body, give the country/state of its incorporation

United Kingdom

07 998420002

4. Title of the invention

OPTICAL MAGNIFICATION SYSTEM

5. Name of your agent (if you have one)

"Address for service" in the United Kingdom to which all correspondence should be sent (including the postcode)

J.Y. & G.W. JOHNSON  
KINGSBOURNE HOUSE,  
229-231 HIGH HOLBORN,  
LONDON WC1V 7DP

Patents ADP number (if you know it)

976001

6. If you are declaring priority from one or more earlier patent applications, give the country and the date of filing of the or of each of these earlier applications and (if you know it) the or each application number

Country

Priority application number  
(if you know it)

Date of filing  
(day / month / year)

7. If this application is divided or otherwise derived from an earlier UK application, give the number and the filing date of the earlier application

Number of earlier application

Date of filing  
(day / month / year)

8. Is a statement of inventorship and of right to grant of a patent required in support of this request? (Answer 'Yes' if:

Yes

a) any applicant named in part 3 is not an inventor, or

b) there is an inventor who is not named as an applicant, or

c) any named applicant is a corporate body.

See note (d))

**Patents Form 1/77**

9. Enter the number of sheets for any of the following items you are filing with this form.  
~~Do not count copies of the same document~~

Continuation sheets of this form

Description 4

Claim(s) 2

Abstract

Drawing(s) 1 + 1

10. If you are also filing any of the following, state how many against each item.

Priority documents

Translations of priority documents

Statement of inventorship and right to grant of a patent (Patents Form 7/77)

Request for preliminary examination and search (Patents Form 9/77) 1

Request for substantive examination (Patents Form 10/77)

Any other documents  
(please specify)

11. I/We request the grant of a patent on the basis of this application.

Signature

*W R G W Johnson*

Date 20.11.02

12. Name and daytime telephone number of person to contact in the United Kingdom
- Mr William Hanson  
020 7405 0356.

**Warning**

After an application for a patent has been filed, the Comptroller of the Patent Office will consider whether publication or communication of the invention should be prohibited or restricted under Section 22 of the Patents Act 1977. You will be informed if it is necessary to prohibit or restrict your invention in this way. Furthermore, if you live in the United Kingdom, Section 23 of the Patents Act 1977 stops you from applying for a patent abroad without first getting written permission from the Patent Office unless an application has been filed at least 6 weeks beforehand in the United Kingdom for a patent for the same invention and either no direction prohibiting publication or communication has been given, or any such direction has been revoked.

**Notes**

- If you need help to fill in this form or you have any questions, please contact the Patent Office on 08459 500505.
- Write your answers in capital letters using black ink or you may type them.
- If there is not enough space for all the relevant details on any part of this form, please continue on a separate sheet of paper and write "see continuation sheet" in the relevant part(s). Any continuation sheet should be attached to this form.
- If you have answered 'Yes' Patents Form 7/77 will need to be filed.
- Once you have filled in the form you must remember to sign and date it.
- For details of the fee and ways to pay please contact the Patent Office.

## OPTICAL MAGNIFICATION SYSTEM

### Background of the Invention

This patent invention relates to an optical magnification system.

5

Almost all camcorders and digital still cameras (DSC's) contain a direct-view miniature flat screen, of around 20mm to 50mm in size, to aid with picture taking and review. This screen is typically viewed from a distance of 25cm to 40cm - "arm's length". Almost all camcorders and some DSC's also contain an electronic viewfinder (EVF) consisting of a  
10 much smaller liquid crystal display (LCD) or cathode ray tube (CRT) screen behind a magnifying optic. The EVF is typically viewed by holding the optic close to the eye - "near-to-eye".

Desirable characteristics of the direct view screen include:

15

- (1) The display is of a sufficient size that the user can view it comfortably at a normal reading distance of 25-40cm.
- (2) The display has a resolution that is high enough to provide images of video or picture quality.
- 20 (3) The amount of electrical current used by the display is minimized, therefore increasing battery life.
- (4) The display is bright enough to be visible in normal sunlit conditions

Desirable characteristics of the EVF include:

25

- (1) The image of the display is of sufficient size and distance that the user can view it comfortably, with minimum eye strain
- (2) The display has a resolution that is high enough to provide images of video or picture quality and is without any pixelation, which may be to the detriment of the  
30 video or picture.
- (3) The display is bright enough to be viewed through a viewfinder eyepiece with little or no extraneous light.

### Summary of the Invention

It is an aim of the invention to provide a magnification system which can be switched between two modes of use, namely "near-to-eye" and "arm's-length". This has the advantage of offering both types of viewing capability using a single viewing system.

5

Accordingly, the present invention provides an image-forming system comprising an object, a multi-element magnifying optical path and focal length varying means for addition, adjustment or removal of one or more elements in the optical path in order to vary the distance between a viewer's eye and the system, at which distance the magnified object can be viewed.

10

The focal length varying means may comprise means for moving one or more optical elements, such as a flat aspherical fresnel lens into and out of the optical path. Alternatively, the focal length varying means may comprise an electro-optical element such as a liquid crystal lens or programmable diffractive element.

15

The object may be emissive or reflective.

In one embodiment, a polarizer is located between the object and the optical path. Alternatively or additionally, for increased efficiency, the object may be arranged to emit polarized light.

20

The optical path may comprise, in order, a curved beamsplitter, a first quarter wave plate, a planar beamsplitter, a second quarter-wave plate and a linear polarizer. The curved beamsplitter may be replaced by a holographic analogue thereof.

25

Light emitted from the object may be collimated, thereby allowing greater collection of the initial emitted light rays, and allowing more control over the initial emitted light rays.

### 30 Brief Description of the Drawings

Embodiments of the present invention will now be described in more detail, by way of example only, with reference to the accompanying drawings, in which:

Figure 1 is a schematic sectional view of a magnification system according to the invention;

Figure 2 is a generalized schematic view of the system of Figure 1, configured as an "arm's length" viewer; and

Figure 3 is a generalized schematic view of the system of Figure 1, configured as a "near-to-eye" viewer.

#### Detailed Description of the Preferred Embodiments

The present invention comprises an object, a device for magnifying the image of the object and an optical device that can be used to shorten the focal length of the overall device therefore making it useful as a near-to-eye display.

As shown in Figure 1, the device used for magnifying the image is based on the 'pancake window<sup>TM</sup>' as described in US RE 27,356. The principle of operation of this depends on the light from the object, in this case a display 1, being polarized by a linear polarizer 2 before it enters the optical device. On entering the device, the polarized light passes through a curved beamsplitter 3, then through a quarter wave plate 4, which has its optical axis at 45° to the direction of the polarization. This converts the linearly polarized light into circularly polarized light. This is then passed through a planar beamsplitter 5, which passes 50% of the light and reflects back the other 50% of the light. This reflected light has its polarization state reversed on reflection and is now passed through the quarter wave plate 4 in the opposite direction. On this pass through the quarter wave plate the light is converted back to linearly polarized light with its direction of polarization orthogonal to that of the incoming light. The light now strikes the curved beamsplitter 3 again and 50% is reflected back through the system. This light again passes through the quarter wave plate 4, this time being converted to circularly polarized light with the opposite handedness of the light that passed through initially. Again this strikes the planar beamsplitter 5 and 50% is passed through onto the next element in the system. The next element is another quarter wave plate 6 that converts the circularly polarized light back to linear polarized light, but with the polarization direction orthogonal to that of the direction of the light which initially entered the system. The final element in the system is a linear polarizer 7, which is positioned such that it allows this light to pass through. The light which first passed through the curved beamsplitter 3 is polarized in the opposite direction and is blocked by the linear polarizer.

The amount of magnification is determined by the radius of curvature of the curved beamsplitter 3.

5 This device can be used to magnify the object for use as an arm's length viewer as shown in Figure 2, in which the magnification device is designated by 8. In order to switch the device into a mode that can be used as a near-to-eye viewer a lens 9, shown in Figure 3, or other optical element or elements, must be placed between the object 1 and the magnification device 8 in order to reduce the focal length of the system. This could be a flat aspherical fresnel lens which could be mechanically switched in and out of the device  
10 depending on which mode the operator wished to use it in, or it may be some electro-optic element such as a liquid crystal lens or programmable diffractive element.

All forms of the verb "to comprise" used in this specification have the meaning "to consist of or include".

CLAIMS

1. An image-forming system comprising an object, a multi-element magnifying optical path and focal length varying means for addition, adjustment or removal of one or more elements in the optical path in order to vary the distance between a viewer's eye and the system, at which distance the magnified object can be viewed.
2. A system according to claim 1, wherein the focal length varying means comprises means for moving one or more optical elements, into and out of the optical path.
3. A system according to claim 2, wherein the focal length varying means comprises means for moving a flat aspherical fresnel lens into and out of the optical path.
4. A system according to claim 1, wherein the focal length varying means comprises an electro-optical element.
5. A system according to claim 4, wherein the electro-optical element comprises a liquid crystal lens.
6. A system according to claim 4, wherein the electro-optical element comprises a programmable diffractive element.
7. A system according to any preceding claim, wherein the object is light-emissive.
8. A system according to claim 7, wherein the object is arranged to emit polarized light.
9. A system according to any one of claims 1 to 6, wherein the object is light-reflective.
10. A system according to any preceding claim, wherein a polarizer is located between the object and the optical path.



11. A system according to any preceding claim, wherein the optical path comprises, in order, a curved beamsplitter, a first quarter wave plate, a planar beamsplitter, a second quarter-wave plate and a linear polarizer.
- 5 12. A system according to any one of claims 1 to 10, wherein the optical path comprises, in order, a holographic analogue of a curved beamsplitter, a first quarter wave plate, a planar beamsplitter, a second quarter-wave plate and a linear polarizer.
- 10 13. A system according to any preceding claim, wherein light emitted from the object is collimated.

1/1






Fig 1



Switchable element "OFF" or "OUT"

Fig 2



Switchable element "ON" or "IN"

Fig 3

PCT Application

**GB0304971**



**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

**BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant:

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☒ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☐ FADED TEXT OR DRAWING
- ☒ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☐ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.**